

American-Lincoln®

The Power Behind Clean

Encore HD Series Walk-Behind Scrubbers



High Performance Walk Behind Scrubbers

Meet Your Most Demanding Needs

American-Lincoln Technology has a history of manufacturing walk behind scrubbers with a workhorse reputation. That same workhorse performance and those “big machine” features are now available in a compact machine utilizing disk or cylindrical scrub brushes.

Durability Features

- Steel unibody chassis
- Patented Polydur® exterior, tanks and brush covers
- Deep-cycle, industrial batteries tailor-made for American-Lincoln
- Patented break-away squeegee
- Cylindrical scrub system utilizes a cast aluminum brush deck with protective roller bumpers



Ergonomic Design Features

- Palm pressure controls to reduce fatigue
- Unique solution fill ports front and rear
- Specially designed, comfort-control handle for easy maneuvering
- Easy slide-out Polydur™ debris trough with cylindrical scrubbing



The high torque, 1-h.p. brush drive motors clean aggressively - even the dirtiest applications.



Dual brush, floating scrub deck allows recovery of debris while scrubbing.



A parabolic break-away squeegee allows for squeegee blade changes without any tools.

Easy-to-reach and refill batteries
(250 AH or 330 AH)

Large, 20-gallon solution/recovery tanks
meet long distance scrubbing needs


The only walk behind scrubber
with true double-scrub capacity




Squeegee changing without any tools
means more time scrubbing and less
time maintaining the machine

Bristle type selection that
meets your cleaning needs

Heavy-duty 1-hp motors provide more torque
to the floor for more scrubbing power



Two high speed cylindrical scrub brushes and an easily
removable debris trough make quick work of grouted or
rough concrete floors.




Choose disk scrubbing or cylindrical scrubbing with
debris pick up to meet the cleaning needs of your
facility.

Encore HD Series Walk Behind Scrubbers

American-Lincoln®

The Power Behind Clean

Division of
ALTO®



KEY FEATURES

- Power forward and reverse
- Picks up water even in the tightest turns
- Floating brush deck
- Heavy duty brush drive motors provide aggressive scrubbing
- Impressive warranties



SPECIFICATIONS

Model	L25HD	L26HD Cylindrical
Cleaning Path	25 in. (63.5 cm)	26 in. (66 cm)
Brush Motors (2)	1 hp	.75 hp high torque
Brushes	13 in. (33 cm)	4 in. (10 cm) x 26 in. (66 cm)
Vacuum Motor	.75 hp 3-stage, tangential discharge	
Traction Motor	.5 hp	
Solution / Recovery Tank	20 gal. (76 l)	
Squeegee Type / Size	32 in. (81.3 cm)	39 in. (99cm)
Power Supply	24 volt, (4) 250 AH or (4) 330 AH deep cycle batteries	
Drive Wheels	(2) 8 in. x 2 (20 x 5 cm) neoprene tread	
Dimensions L x W x H	56 x 28 x 43 in. (142 x 71 x 109 cm)	
Weight	610 lbs (274 kg)	

WHO USES THIS MACHINE?

- Manufacturing plants
- Warehouses
- Beverage plants
- Food production plants
- Bakeries

WHAT DOES IT DO BEST?

- Scrubs uneven and/or grouted floors
- Maneuvers well into tight, confined areas
- Reduces operator fatigue with easy-to-operate controls
- Provides more productivity and less downtime because of low maintenance
- Cylindrical scrub system picks up debris while scrubbing

WHAT ENHANCES ITS PRODUCTIVITY?

- Power forward/reverse through low maintenance transaxle
- Large solution/recovery tanks to stay on the floor longer between cleanups
- Heavy-duty brush drive motors finish the job faster
- Solution and brushes turn off when machine is not moving

WHAT ADDS TO ITS DURABILITY?

- Heavy gauge welded steel chassis
- Corrosion-proof Polydur® solution/recovery tanks
- Industrial quality switches and controls
- Break-away squeegee
- Non-marking solid wheels

WHAT ARE THE SAFETY FEATURES?

- All electrical circuits with breaker protection
- Safety yellow palm start buttons
- Recovery tanks tilt 90 degrees for battery compartment access
- Recessed key switch to prevent unauthorized use

WHAT ARE THE OPTIONAL FEATURES?

- Off-aisle spray and vac wand
- Parking brake
- Soft casters (available on L25HD)
- Pad drivers

American-Lincoln

1100 Haskins Rd
Bowling Green, OH 43402

DISTRIBUTED BY:

Customer Service: 1-800-331-7692
Fax Orders to: 1-877-877-2586
Technical Service: 1-800-331-7691

©2002 ALTO U.S. Inc., All Rights Reserved. Specifications subject to change without notice. P/N79508A rev. 2/02

Packaging - Processing
Bid on Equipment
1-847-683-7720
www.bid-on-equipment.com