

KLEEN-VIEW™

*Moving Ahead
With Technology*

Washout Sink and Stand



ADVANTAGES

- Quick identification of pinholes and residue
- Shortens screen reclaiming process
- Stainless-steel, heavy-duty construction
- Works with daylight or artificial light
- Reduces mesh and labor costs
- Provides better management of working area
- Reduces potentially dangerous spillage
- Increases worker safety
- Helps isolate cleanup

A.W.T's versatile Kleen-View™ washout sink and stand is an essential component for maximizing screen room productivity. Designed for use with Power-King™ or other pressure cleaning units, Kleen-View washout sinks are ideal for degreasing mesh, removing ink and reclaiming screens. The translucent fiberglass back panel works with daylight or artificial light sources to backlight screens, clearly showing pinholes, unexposed emulsion or residue. The extra-deep trough reduces backsplash, and the unit has a built-in exhaust outlet. Heavy-duty, stainless-steel construction ensures a long, rust-free life. Unit disassembles easily to fit through small doorways.



Manufactured by
A.W.T. World Trade Inc.
Division of The A.W.T. World Trade Group

4321 N. Knox Avenue • Chicago, IL 60641 USA

773.777.7100 • Fax: 773.777.0909

sales@awt-gpi.com • www.awt-gpi.com

KLEEN-VIEW™ WASHOUT SINK AND STAND

For Cleaning and Reclaiming Screens

Standard Features

- High-impact, translucent fiberglass back panel
- Heavy-duty, stainless-steel construction
- Extra-deep trough helps reduce backsplash
- Exhaust outlet (except KV-32TPSS)

Options and Accessories

- Backlighting systems* - original equipment only, not available for retrofit
- Automatic water spray emulsion-removal system
- Power-King™2 pressure washers
- Sturdy, full-sized storage shelf (except KV-32TPSS and oversized units)
- Oversized and custom units available


POWER-KING™ 2 HIGH-PRESSURE SCREEN WASHERS




PK-1000



PK-1200

*  Flammable solvents cannot be used with backlight systems.

Specifications Diagram



ADDITIONAL A.W.T. PRODUCTS



A.W.T. Safe-T-Wash™ Low-Odor Screen Wash

Safe-T-Wash™ is a special blend of cleaning solutions that meets standards for safe and effective cleaning of all screen printing inks. Safe-T-Wash has a low VOC rating and meets or exceeds most guidelines. This screen cleaning solution dissolves most ink systems efficiently with a minimum of time and effort.

CAT. NO.	DESCRIPTION
STW-L01Q	1-quart container
STW-L01G	1-gallon container
STW-L05G	5-gallon container
STW-L055G	55-gallon container

A Great Addition for Fast and Easy Screen Cleaning!

DURO-TANK™ Recirculating System

- Pneumatic operation
- Stainless-steel construction
- Permanent, removable filters
- Uses biodegradable solvents



KLEEN-VIEW™ WASHOUT SINK AND STAND

Heavy-Duty, Stainless-steel Construction

Specifications

CAT. NO.	DESCRIPTION	MAX. FRAME SIZE	DIMENSIONS				
			A SINK WIDTH	B SINK HEIGHT	C LEG HEIGHT	D TOTAL HEIGHT	E SINK DEPTH
KV-32TPSS	Stainless-steel tabletop model sink with stand	26 x 26" (66 x 66 cm)	33" (84 cm)	32" (82 cm)	10" (25 cm)	42" (107 cm)	23" (58 cm)
KV-58SS	Stainless-steel floor model sink with stand	36 x 54" (91 x 137 cm)	59" (150 cm)	41" (105 cm)	25" (64 cm)	66" (168 cm)	25" (64 cm)
KVL-58SS	Backlight option 110 V, 1 PH, 60 Hz						
KV-58SS-S	Shelf option						
KV-80SS	Stainless-steel floor model sink with stand	52 x 76" (132 x 193 cm)	81" (206 cm)	58" (148 cm)	25" (64 cm)	83" (211 cm)	25" (64 cm)
KVL-80SS	Backlight option 110 V, 1 PH, 60 Hz						
KV-80SS-S	Shelf option						
KV-100SS	Stainless-steel floor model sink with stand	72 x 96" (183 x 244 cm)	102" (260 cm)	80" (203 cm)	25" (64 cm)	105" (267 cm)	37" (94 cm)
KVL-100SS	Backlight option 110 V, 1 PH, 60 Hz						
KV-100SS-S	Shelf option						
KV-130SS	Stainless-steel floor model sink with stand	72 x 126" (183 x 320 cm)	132" (336 cm)	80" (203 cm)	25" (64 cm)	105" (267 cm)	37" (94 cm)
KVL-130SS	Backlight option 110 V, 1 PH, 60 Hz						
KV-130SS-S	Shelf option						
KV-130SS-2	Stainless-steel floor model sink with stand	84 x 130" (66 x 66 cm)	136" (345 cm)	100" (254 cm)	25" (64 cm)	125" (318 cm)	37" (94 cm)
KVL-130SS-2	Backlight option 110 V, 1 PH, 60 Hz						
KV-130SS-S-2	Shelf option						
KV-180SS	Stainless-steel floor model sink with stand	72 x 176" (183 x 447 cm)	182" (463 cm)	80" (203 cm)	25" (64 cm)	105" (267 cm)	37" (94 cm)
KVL-180SS	Backlight option 110 V, 1 PH, 60 Hz						
KV-180SS-S	Shelf option						
KV-180SS-2	Stainless-steel floor model sink with stand	94 x 176" (239 x 447 cm)	182" (463 cm)	104" (264 cm)	124" (315 cm)	20" (51 cm)	37" (94 cm)
KVL-180SS-2	110 V, 1 PH, 60 Hz backlight option						
KV-180SS-S-2	Shelf option						

Custom sizes available — call for details.