

BUILT RIGHT - PRICED RIGHT

EASTEY

Shrink Packaging Equipment for the Shrinking World

EH2210E HIGH SPEED SHRINK TUNNEL



- Dual heater banks with dual blowers and controls.
- Conveyor speed - 120 feet per minute
- Package speed - 100 feet per minute, note actual package speed is relative to overall package size and shrink film type and the gauge being used.
- Direction of travel, right to left or left to right.
- Electrical panel mounted on left or right side.
- Cooling fans used to reduce heat retention of the conveyor.
- Base has leveling adjustments and locking casters.
- Positive shrinking with 4 directional air flow.
- Solid state temperature controllers.
- Solid state relays.
- Variable speed electronically controlled air velocity.

Packaging - Processing
Bid on Equipment
1-847-683-7720
www.bid-on-equipment.com

OPTIONS:

- Converts into **high speed bundling tunnel**, by changing the tunnel height to 16" (60 amps) or 20" (70 amps).
- Battery backup. Runs 2 to 3 cycles to clear the chamber.
- Electrical change - 220V (3ph) to 220V (1ph)
- Electrical change - 460/480V (3ph)
- Window



WEIGHT, POWER REQUIREMENTS, DIMENSIONS

Easte Tunnel Model	Machine Dimensions (in)					Machine Dimensions (cm)					Standard Power			Weight		Crated Shp Wgt	
	W	x	H	x	L	W	x	H	x	L	Volts	Amps	Phase	(lbs)	(kg)	(lbs)	(kg)
EH2210E	41	x	67	x	86	104	x	170	x	219	220	50	3 ph	1200	546	1650	751

TUNNEL CHAMBER, ROLLER AND CONVEYOR DIMENSIONS


Model	Chamber Dimensions (in)				Chamber Dimensions (cm)				Roller Width		Conveyor Length			
	W	x	H	x	L	W	x	H	x	L	(in)	(cm)	(in)	(cm)
EH2210E	20	x	10	x	70	51	x	25	x	178	20	51	86	219

Packaging - Processing
Bid on Equipment
1-847-683-7720
www.bid-on-equipment.com

EASTEY ENTERPRISES, INC.
 21480 147TH AVE. NO. ROGERS, MN 55374
 PHONE: 763/428-4846 FAX: 763/428-8361
 TOLL FREE 800/835-9344
www.easteys.com
easteys@easteys.com

Copyright © 2005 Easteys Enterprises, Inc., All Rights Reserved

REV		DESCRIPTION	REVISIONS	DATE	APPROVED



ALL DIMENSIONS ARE IN INCHES	EASTEY ENTERPRISES	Title EH2210 LINE DRAWING	
ALL TOLERANCES TO BE $\pm .01$ UNLESS OTHERWISE SPECIFIED	Tolerance $\pm .010$ (UNLESS SPECIFIED)	Scale 14:1	Material N/A
FINISH - NONE	Drafter TROY S.	Part Numbers EH2210	
	CHK By	Date 5-8-01	Part size 0.000 x 0.000

Packaging - Processing
Bid on Equipment
 1-847-683-7720
www.bid-on-equipment.com