



G-Force™ Pressure Washers

Graco's Complete Line of Professional Pressure Washers



G-Force by Graco

Graco sells the highest quality professional line of pressure washing solutions in the market. This informational guide is designed to help you select the right solution to your pressure washing needs.

Our compact direct drive pressure washers offer enough horsepower to tackle most cleaning and preparation jobs. While our belt drive pressure washers offer higher output for the most demanding jobs. And if cold water “just won’t cut it,” we now offer a hot water pressure washer in our G-Force 3540 GHW.

When choosing Graco, you can be assured that you are choosing the highest quality product in the industry. You can take pride in the fact that Graco products are designed, manufactured, and assembled right here in the United States of America, with contractor preferred Honda® engines. *We do!*



Packaging - Processing
Bid on Equipment
1-847-683-7720
www.bid-on-equipment.com



The G4 Difference... We Build It. We Back It. *Period.*



QUALITY | PERFORMANCE | WARRANTY | PRODUCTIVITY

Only Graco delivers the industry's first choice for pressure washing systems, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco pressure washers are designed to exceed the professional contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

PROVEN QUALITY

Precision design, 100% factory-tested and field-proven.

Cutting-edge technology keeps Graco pressure washers up and running and on the job for years.

MAXIMUM PERFORMANCE

Higher output with superior control for a wider range of jobs.

Rely on any of these high performance units to deliver the results you expect from a Graco.

INDUSTRY LEADING WARRANTY

Every Graco pressure washer is backed by the industry's best warranty* and more than 80 years of proven commitment to the professional contractor.

UNMATCHED PRODUCTIVITY

Superior design, innovative technology means you'll be getting the highest productivity in a pressure washing system – *only from Graco.*

We stand by our products and don't settle for less than the best. You'll see for yourself once you've experienced G-Force.

*See page 9 and 10 for warranty details.



G-Force 2525 DD

Cold Water • Direct Drive • Light to Medium Duty

G-Force 2525 DD

DESCRIPTION PART #:
G-Force 2525 DD 262292

SPECIFICATIONS:

OPERATING
PRESSURE PSI [BAR]: 2500 [172]
HONDA ENGINE: 160 cc
WATER PUMP
FLOW RATE GPM [LPM]: 2.5 [9.5]
PUMP TYPE: Direct Drive
Axial Piston

INCLUDES:

- 3/8 in x 25 ft [9.5 mm x 7.5 m] High-Pressure Water Hose and Standard Gun with Insulated Wand
- 4 Spray Tips [0°, 15°, 40°, Chemical]
- 4 ft [1.2 m] Chemical Tube

The G-Force 2525 DD is the best choice for light to medium duty applications. This pressure washer is designed to provide consistent reliability in a compact, portable package. *Great for any job!*



LT Series Pump

- ▶ Direct drive axial piston pump design – light weight and compact
- ▶ Aluminum, oil-bath crankcase with cooling fins
- ▶ Solid ceramic plungers with continuously lubricated packings
- ▶ Thermal relief valve protects the pump from over-temperature conditions
- ▶ Built-in low pressure chemical injector with 4 foot tube

Honda Power

- ▶ Honda GC Series engine delivers trouble-free performance

High-Pressure Gun and Hose

- ▶ 25 foot high pressure hose – keeping floors clean
- ▶ Standard insulated trigger gun comes with 36 inch insulated wand

Rugged Steel Frame

- ▶ Heavy-duty, powder coated steel frame stands up to jobsite abuse
- ▶ Convenient tip holder keeps tips within reach
- ▶ Gun and hose holder for easy transport and storage
- ▶ Compact design for ease of storage
- ▶ Tubed pneumatic tires roll easily over rough terrain and hold up to the harsh jobsite environment



Convenient built-in color-coded tip holder to keep tips within reach for easy access.



G-Force 2730/3030/3540 DD

Cold Water • Direct Drive • Medium to Heavy-Duty

The G-Force 2730/3030/3540 DD are built tough to handle any heavy-duty application. With high performance and built-in conveniences, these sprayers can be used to clean commercial buildings, bridges and water towers. *No job is too big!*



General TP Series Pump

- ▶ Oversized connecting rods for ultimate crankcase performance
- ▶ Aluminum, oil-bath crankcase with cooling fins
- ▶ Solid ceramic plungers with continuously lubricated packings
- ▶ Thermal relief valve protects the pump from over-temperature conditions
- ▶ Built-in low pressure chemical injector with 4 foot tube

Honda Power

- ▶ Honda GX Contractor Grade Series engine delivers maximum performance
- ▶ Contractor preferred engine with Oil Alert

High-Pressure Gun and Hose

- ▶ Non-marking 50 foot hose has quick connects, swivel and bend restrictors
- ▶ Professional-grade insulated trigger gun comes with 36 inch lance with rubber grip [48 inch lance on 3540 DD]

Rugged Steel Frame

- ▶ Heavy-duty, powder coated steel frame stands up to jobsite abuse
- ▶ Compact design for ease of storage
- ▶ Convenient tip holder keeps tips within reach
- ▶ Gun and hose holder for easy transport and storage
- ▶ Tubed pneumatic tires roll easily over rough terrain and hold up to the harsh jobsite environment

G-Force 2730 DD DIRECT DRIVE

DESCRIPTION PART #:
 G-Force 2730 DD 262293

SPECIFICATIONS:

OPERATING PRESSURE PSI [BAR]: 2700 [187]
 HONDA ENGINE: 200 cc OHV
 WATER PUMP FLOW RATE GPM [LPM]: 2.7 [10.2]
 PUMP TYPE: Direct Drive Crankshaft



G-Force 3030 DD DIRECT DRIVE

DESCRIPTION PART #:
 G-Force 3030 DD 262294

SPECIFICATIONS:

OPERATING PRESSURE PSI [BAR]: 3000 [207]
 HONDA ENGINE: 270 cc OHV
 WATER PUMP FLOW RATE GPM [LPM]: 3.0 [11.3]
 PUMP TYPE: Direct Drive Crankshaft



G-Force 3540 DD DIRECT DRIVE

DESCRIPTION PART #:
 G-Force 3540 DD 262295

SPECIFICATIONS:

OPERATING PRESSURE PSI [BAR]: 3500 [241]
 HONDA ENGINE: 390 cc OHV
 WATER PUMP FLOW RATE GPM [LPM]: 4.0 [15]
 PUMP TYPE: Direct Drive Crankshaft

ALL ABOVE UNITS INCLUDE:

- 3/8 in x 50 ft [9.5 mm x 15 m] Non-marking, High-Pressure Water Hose and Professional Grade Gun with Rubber Grip Wand
- 5 Spray Tips [0°, 15°, 25°, 40°, Chemical]
- 4 ft [1.2 m] Chemical Tube



G-Force 4035/4043 BD

Cold Water • Belt Drive • Heavy to Severe Duty

G-Force 4035 BD

DESCRIPTION PART #:
 G-Force 4035 BD 262296

SPECIFICATIONS:
OPERATING PRESSURE PSI [BAR]: 4000 [276]
HONDA ENGINE: 390 cc OHV
WATER PUMP FLOW RATE GPM [LPM]: 3.5 [13.2]
PUMP TYPE: Belt Drive Crankshaft

G-Force 4043 BD

DESCRIPTION PART #:
 G-Force 4043 BD 262297

SPECIFICATIONS:
OPERATING PRESSURE PSI [BAR]: 4000 [276]
BRIGGS & STRATTON ENGINE: 480 cc OHV V-Twin Electric Start
WATER PUMP FLOW RATE GPM [LPM]: 4.3 [16]
PUMP TYPE: Belt Drive Crankshaft

ALL ABOVE UNITS INCLUDE:

- 3/8 in x 50 ft [9.5 mm x 15 m] Non-marking, High-Pressure Water Hose and Professional Grade Gun with Rubber Grip Wand
- 5 Spray Tips [0°, 15°, 25°, 40°, Chemical]
- 4 ft [1.2 m] Chemical Tube

The G-Force 4035 and 4043 BD pressure washers are Graco's top-of-the-line units, designed to tackle the toughest cleaning jobs. They offer features that are required for heavy to severe duty applications. *Use these pressure washers for the most demanding jobs.*



General TX Series Pump

- ▶ Oversized connecting rods for ultimate crankcase performance
- ▶ Large capacity, aluminum, oil-bath crankcase with cooling fins
- ▶ Solid ceramic plungers with continuously lubricated packings
- ▶ Thermal relief valve protects the pump from over-temperature conditions
- ▶ Heavy-duty tapered roller bearings for high performance and long life
- ▶ Longer life, low and high pressure seals
- ▶ Double-belt design for increased life
- ▶ Modular low pressure chemical injector with 4 foot tube

Honda and Briggs & Stratton Engines

- ▶ Contractor Grade engines deliver maximum performance
- ▶ Briggs & Stratton engine comes with electric start

High-Pressure Gun and Hose

- ▶ Non-marking 50 foot hose has quick connects, swivel and bend restrictors
- ▶ Professional-grade insulated trigger gun comes with 48 inch lance with rubber grip

Rugged Steel Frame

- ▶ Heavy-duty, powder coated steel frame stands up to jobsite abuse
- ▶ Compact design for ease of storage
- ▶ Convenient tip holder keeps tips within reach
- ▶ Gun and hose holder for easy transport and storage
- ▶ Tubed pneumatic tires roll easily over rough terrain and hold up to the harsh jobsite environment



Double belt drive for durability and power.



G-Force 3540 GHW

Hot Water • Direct Drive • Severe Duty

The G-Force 3540 GHW hot water pressure washer is for those applications where cold water just won't cut it. With hot water you can effectively clean grease, oil or any other heat reactive substance. *Use this pressure washer for the most demanding jobs needing hot water.*



G-Force 3540 GHW DIRECT DRIVE

DESCRIPTION: G-Force 3540 GHW
 PART #: 262298

SPECIFICATIONS:
OPERATING PRESSURE PSI [BAR]: 3500 [241]
HONDA ENGINE: 390 cc OHV
WATER PUMP FLOW RATE GPM [LPM]: 3.3 [12.5]
PUMP TYPE: Direct Drive Crankshaft

INCLUDES:
 • 3/8 in x 50 ft [9.5 mm x 15 m] Braided Hose
 • 5 Spray Tips [0°, 15°, 25°, 40°, Chemical]
 • Dual Lance with Adjustable Pressure
 • 4 ft [1.2 m] Chemical Tube

AR RKV Series Pump

- ▶ Direct drive triplex piston pump
- ▶ Aluminum, oil-bath crankcase with cooling fins
- ▶ Solid ceramic plungers with continuously lubricated packings
- ▶ Thermal relief valve protects the pump from over-temperature conditions
- ▶ Built-in low pressure chemical injector with 4 foot tube

Honda Power

- ▶ Honda GX Contractor Grade Series engine delivers maximum performance
- ▶ Contractor preferred engine with Oil Alert

High-Pressure Gun and Hose

- ▶ Non-marking 50 foot hose has quick connects, swivel and bend restrictors
- ▶ Professional-grade insulated trigger gun comes with insulated dual lance

Diesel Fired Burner

- ▶ Burner can run off of No. 1 or 2 diesel or kerosene
- ▶ Maximum outlet temperature of 200° F [150° F rise]
- ▶ Easy coil drain helps prevent freezing in cold weather
- ▶ High quality fuel filter/water separator ensures clean fuel supply

Rugged Steel Frame

- ▶ Reinforced powder coated steel frame with center lift hook
- ▶ Gun and hose holder for easy transport and storage
- ▶ Tubed pneumatic tires roll easily over rough terrain and hold up to the harsh jobsite environment

G-FORCE PRESSURE WASHER SPECIFICATIONS



		G-Force 2525 DD	G-Force 2730 DD	G-Force 3030 DD	G-Force 3540 DD
MODEL	Part Number	262292	262293	262294	262295
	Maximum psi [bar]	2500 [172]	2700 [187]	3000 [207]	3500 [241]
SPECIFICATIONS	Water Pump Flow Rate gpm [lpm]	2.5 [9.5]	2.7 [10.2]	3.0 [11.3]	4.0 [15]
	Engine	Honda 160 cc	Honda GX 200 cc OHV	Honda GX 270 cc OHV	Honda GX 390 cc OHV
	Fuel Tank Capacity qt [litr]	1.8 [1.7]	3.8 [3.6]	6.2 [6.1]	6.9 [6.5]
	Weight lbs [kg]	75 [34]	85 [38.5]	130 [59]	142 [64]
	Pump Type	Direct Drive, Axial Piston, Ceramic Plunger	General Pump, Triplex Piston, Ceramic Plunger	General Pump, Triplex Piston, Ceramic Plunger	General Pump, Triplex Piston, Ceramic Plunger
	Gun	Standard Gun with Insulated Trigger	Professional Grade with Insulated Trigger	Professional Grade with Insulated Trigger	Professional Grade with Insulated Trigger
INCLUDES	Wand	36 inch [.9 m] Insulated	36 inch [.9 m] with Rubber Grip	36 inch [.9 m] with Rubber Grip	48 inch [1.2 m] with Rubber Grip
	Hose	3/8 in x 25 ft [9.5 mm x 7.5 m] with Treaded Connections	3/8 in x 50 ft [9.5 mm x 15 m] with Quick Connections and Swivel	3/8 in x 50 ft [9.5 mm x 15 m] with Quick Connections and Swivel	3/8 in x 50 ft [9.5 mm x 15 m] with Quick Connections and Swivel
	Chemical Injector	Built-in 4 ft [1.2 m] Tube	Built-in 4 ft [1.2 m] Tube	Built-in 4 ft [1.2 m] Tube	Built-in 4 ft [1.2 m] Tube
	Tips	3.0 ORIFICE 0° Red - 805535 15° Yellow - 805536 40° White - 805538 Black - Chemical Injector - 805634	3.0 ORIFICE 0° Red - 805535 15° Yellow - 805536 25° Green - 805537 40° White - 805538 Black - Chemical Injector - 805634	3.5 ORIFICE 0° Red - 805539 15° Yellow - 805540 25° Green - 805541 40° White - 805542 Black - Chemical Injector - 805634	3.5 ORIFICE 0° Red - 805539 15° Yellow - 805540 25° Green - 805541 40° White - 805542 Black - Chemical Injector - 805634
	System	1 year coverage against defects in materials and workmanship	3 year coverage against defects in materials and workmanship	3 year coverage against defects in materials and workmanship	3 year coverage against defects in materials and workmanship
WARRANTY	Pump	1 year pump	5 year General pump	5 year General pump	5 year General pump
	Engine	90 day Honda engine	3 year Honda engine	3 year Honda engine	3 year Honda engine



		G-Force 4035 BD	G-Force 4043 BD	G-Force 3540 GHW
MODEL	Part Number	262296	262297	262298
	Maximum psi [bar]	4000 [276]	4000 [276]	3500 [241]
SPECIFICATIONS	Water Pump Flow Rate gpm [lpm]	3.5 [13.2]	4.3 [16]	3.3 [12.5]
	Engine	Honda GX 390 cc OHV	480 cc Briggs & Stratton OHV V-Twin Electric Start	Honda GX 390 cc OHV
	Fuel Tank Capacity qt [ltr]	6.9 [6.5]	24 [23]	6.9 [6.5]
	Weight lbs [kg]	191 [87]	240 [109]	428 [194]
	Pump Type	General Pump, Triplex Piston, Ceramic Plunger	General Pump, Triplex Piston, Ceramic Plunger	AR RKV Series, Triplex Piston, Ceramic Plunger
	Gun	Professional Grade with Insulated Trigger	Professional Grade with Insulated Trigger	Professional Grade with Insulated Dual Lance
INCLUDES	Wand	48 inch [1.2 m] with Rubber Grip	48 inch [1.2 m] with Rubber Grip	48 inch [1.2 m]
	Hose	3/8 in x 50 ft [9.5 mm x 15 m] with Quick Connections and Swivel	3/8 in x 50 ft [9.5 mm x 15 m] with Quick Connections and Swivel	3/8 in x 50 ft [9.5 mm x 15 m] with Quick Connections and Swivel
	Chemical Injector	Modular with 4 ft [1.2 m] Tube	Modular with 4 ft [1.2 m] Tube	Built-in with 4 ft [1.2 m] Tube
	Tips	3.5 ORIFICE 0° Red - 805539 15° Yellow - 805540 25° Green - 805541 40° White - 805542 Black - Chemical Injector - 805634	4.0 ORIFICE 0° Red - 805543 15° Yellow - 805544 25° Green - 805545 40° White - 805546 Black - Chemical Injector - 805634	3.5 ORIFICE 0° Red - 805539 15° Yellow - 805540 25° Green - 805541 40° White - 805542 Black - Chemical Injector - 805404
	System	3 year coverage against defects in materials and workmanship	3 year coverage against defects in materials and workmanship	3 year coverage against defects in materials and workmanship
WARRANTY	Pump	5 year General pump	5 year General pump	5 year General pump
	Engine	3 year Honda engine	2 year Briggs & Stratton	3 year Honda engine