



Packaging - Processing
Bid on Equipment
1-847-683-7720
www.bid-on-equipment.com

Ultra[®] Electric Sprayers

Graco's Complete Line of High-Performance Professional Electric Sprayers.



PROVEN QUALITY. LEADING TECHNOLOGY.



Product Choices



390

COATINGS SPRAYED

Lacquer, varnish, enamels, primers, interior/exterior latex

TYPICAL JOBS

New residential construction, residential remodel, residential repaint, decks, fences, and trim

TIP SIZE

Up to 0.20"

TYPICAL USAGE

Spray 1,000 gallons/year



Ultra 395

COATINGS SPRAYED

Lacquer, varnish, enamels, primers, interior/exterior latex

TYPICAL JOBS

New residential construction, residential remodel, residential repaint, decks, fences, and trim

TIP SIZE

Up to 0.21"

TYPICAL USAGE

Spray 2-5 times/week, 1,250 gallons/year



Ultra 495

COATINGS SPRAYED

Lacquer, varnish, enamels, primers, interior/exterior latex, and heavier bodied latex

TYPICAL JOBS

Residential up to light commercial interior and exterior jobs

TIP SIZE

Up to 0.23"

TYPICAL USAGE

Spray daily, 1,500 gallons/year



Ultra 595

COATINGS SPRAYED

Lacquer, varnish, enamels, primers, interior/exterior latex, and heavier bodied latex

TYPICAL JOBS

Residential up to light commercial interior and exterior jobs

TIP SIZE

Up to 0.26"

TYPICAL USAGE

Spray daily, 1,500 gallons/year

The complete line of electric sprayers from Graco offers you a wide selection of product guaranteed to deliver the perfect spraying solution. Whether you are starting out, expanding your business or looking to add a portable workhorse to your fleet, Graco has a professional and reliable sprayer right for you! Use the chart on the left to find the sprayer best suited for your jobs.

Graco G4 Program

We Stand Behind the Quality Built Into Every Machine we Produce!



Only Graco delivers the best in high-performance airless equipment, backed by a solid reputation for proven quality, maximum performance, reliable warranty coverage and unmatched on-the-job productivity. Graco sprayers are designed to meet the professional painting contractor's standards for quality and performance. Graco is the name to turn to today and as your business grows.

Proven Quality

- Consistent improvements on cutting-edge technology to keep you ahead of the business.
- 100% tested to guarantee Graco quality inside and out.

Maximum Performance

- Our electrics line features larger tip support and higher spraying pressures.
- Maximum output produces optimal results on every job.

Longest Warranty

- Entire electrics line features products so reliable you may never need the outstanding protection of our warranty.
- All products qualify for the exclusive Endurance Advantage Program.

Unmatched Productivity

- Full line features the proven Endurance Pump for fast swap out on the job.
- Technology and features on all machines make your jobs easier and faster than ever.



390



Proven Endurance™ Pump

- Reliable Performance.
- Long-life V-Max™ Packings, Chromex Rod and Hardened Stainless Steel Cylinder.
- Patented Graco Design.
- Wrench Access Inlet Valve.

Consistent Pressure Control

- Delivers Strong Spray Pattern with Minimum Fluctuation.
- Designed for Long Life.
- Simple Mechanical Design.

Dependable Drive Train

- Lifetime Lubricated Gears.
- Maintenance-Free.
- Lifetime Warranty.

Reliable DC Motor

- Run Long Extension Cords.
- Quiet Operation.
- Good Performance Under Jobsite Conditions.
- Lifetime Warranty.

Swivel Inlet Hose

- All Metal Swiveling Connection.
- No-Tools Access.
- Easy to Reach the Bucket.
- Heavy-Duty Prime Line is Flexible and Solvent Resistant.

Welded Steel Frame

- Chrome-Plated.
- Welded Cord Wrap.
- Big Cup Stores Inlet Tube to Prevent Drips.
- Straight Handle with Comfort Grip.

| | PART NUMBER | MAX TIP SIZE | MAX GPM (LPM) | MAX PSI (BAR) |
|---|-------------|--------------|---------------|---------------|
| 390 | 248800 | .020" | 0.43 (1.6) | 3300 (227) |
| Comes complete with: Contractor™ FTx™ II Gun, RAC® X 515 tip and guard, 1/4 in x 50 ft (6.4 mm x 15.2 m) Blue Max™ 3300 psi (227 bar) hose. | | | | |

Ultra 395

Proven Endurance™ Pump

- Reliable Performance.
- Long-life V-Max Packings, Chromex Rod and Hardened Stainless Steel Cylinder.
- Patented Graco Design Used on All Professional Sprayers.
- Hammer Access Inlet Valve.

SmartControl™

- Electronic Pressure Control Delivers Most Consistent Spray Fan at All Pressures!

Easy-Out™ Full Flow Pump Filter

- Filtering Reduces Tip Clogs and Improves Finish.
- Easy-Out Filter Comes Out With Cap for Less Mess.
 - Flushes Quickly.

Swivel Inlet Hose

- All Metal Swiveling Connection.
- No-Tools Access.
- Easy to Reach the Bucket.
- Heavy-Duty Prime Line is Flexible and Solvent Resistant.
- Stainless Steel Inlet and Prime Tubes are Designed for Long Life & Easy Reach.

TEFC DC Motor

- Totally Enclosed Design Protects Motor from Dirt and Dust – Prolonging Motor Life.
- Run Longer Extension Cords.
- Runs Quietly.

Heavy Duty Cart

- 1 1/4" Welded Steel.
- Chrome Plated.
- Welded Steel Cord Wrap.
- Offset Handle with Comfort Grip.

Dependable Drive Train

- Lifetime Lubricated Gears.
- Maintenance-Free.
- Lifetime Warranty.



| | PART NUMBER | MAX TIP SIZE | MAX GPM (LPM) | MAX PSI (BAR) |
|--|--------------------------------|--------------|---------------|---------------|
| ULTRA 395 | <i>Ultra 395 Stand 233960</i> | | | |
| | <i>Ultra 395 Lo-Boy 233961</i> | .021" | 0.45 (1.7) | 3300 (227) |
| | <i>Ultra 395 Hi-Boy 233962</i> | | | |
| Comes complete with: Contractor™ II Gun, RAC® X 517 tip and guard, 1/4 in x 50 ft (6.4 mm x 15.2 m) Blue Max™ 3300 psi (227 bar) hose. | | | | |

Ultra 495



Heavy-Duty Inlet Tube and Prime Line

- No-Tools Access to Clean Tube or Clear Inlet Ball.
- All Metal Construction.
- Stainless Steel Prime Tube Reaches Buckets Easily and Stays Upright.

Sturdy Hi-Boy Cart

- Hose Rack.
- Retractable Handle.
- Pail Hook.
- Chrome Plated, Welded Steel.

Proven Endurance™ Pump

- Reliable Performance.
- Long-life V-Max Packings, Chromex Rod and Hardened Steel Cylinder.
- Patented Graco Design Used on All Professional Sprayers.
- Hammer Access Inlet Valve.

SmartControl™

- Electronic Pressure Control Delivers Most Consistent Spray Fan at All Pressures!

TEFC DC Motor

- Totally Enclosed Design Protects Motor from Dirt and Dust – Prolonging Motor Life.
- Run Longer Extension Cords.
- Runs Quietly.

Easy-Out, Full Flow Pump Filter

- Filtering Reduces Tip Clogs and Improves Finish.
- Easy-Out Filter Comes Out With Cap.
- Flushes Quickly.

| | PART NUMBER | MAX TIP SIZE | MAX GPM (LPM) | MAX PSI (BAR) |
|--|-------------------------|--------------|---------------|---------------|
| ULTRA 495 | Ultra 495 Stand 233966 | | | |
| | Ultra 495 Lo-Boy 233967 | .023" | 0.54 (2.0) | 3300 (227) |
| | Ultra 495 Hi-Boy 233968 | | | |
| Comes complete with: Contractor™ II Gun, RAC® X 517 tip and guard, 1/4 in x 50 ft (6.4 mm x 15.2 m) Blue Max™ 3300 psi (227 bar) hose. | | | | |

Ultra 595

Heavy-Duty Inlet Tube and Prime Line

- No-Tools Access to Clean Tube or Clear Inlet Ball.
- All Metal Construction.
- Stainless Steel Prime Tube Reaches Buckets Easily and Stays Upright.

Sturdy Hi-Boy Cart

- Hose Rack.
- Retractable Handle.
- Pail Hook.
- Chrome Plated, Welded Steel.

Proven Endurance™ Pump

- Reliable Performance.
- Long-life V-Max Packings, Chromex Rod and Hardened Steel Cylinder.
 - Patented Graco Design.
 - Hammer Access Inlet Valve.

SmartControl™

- Electronic Pressure Control Delivers Most Consistent Spray Fan at All Pressures!

TEFC DC Motor

- Totally Enclosed Design Protects Motor from Dirt and Dust – Prolonging Motor Life.
- Run Longer Extension Cords.
- Runs Quietly.

Easy-Out, Full Flow Pump Filter

- Filtering Reduces Tip Clogs and Improves Finish.
- Easy-Out Filter Comes Out With Cap.
- Flushes Quickly.



| ULTRA 595 | PART NUMBER | MAX TIP SIZE | MAX GPM (LPM) | MAX PSI (BAR) |
|--|--|--------------|---------------|---------------|
| | Ultra 595 Lo-Boy 234490 Ultra 595 Hi-Boy 234435 | .026" | 0.6 (2.3) | 3300 (227) |
| Comes complete with: Contractor™ II Gun, RAC® X 517 tip and guard, 1/4 in x 50 ft (6.4 mm x 15.2 m) Blue Max™ 3300 psi (227 bar) hose. | | | | |



Specifications

| Sprayer Specifications | | 390 | Ultra 395 | Ultra 495 | Ultra 595 |
|----------------------------|----------|---|---|---|---|
| Max Tip | | .020" | .021" | .023" | .026" |
| Max psi/bar | | 3300/227 | 3300/227 | 3300/227 | 3300/227 |
| Max gpm/lpm | | .43/1.6 | .45/1.7 | .54/2.0 | .6/2.3 |
| Weight lbs/kg | | 30/13.6 (stand) | 42/19 (stand) | 43/19.5 (stand) | 72/32.7 (Hi-Boy) |
| Motor hp | | 5/8 | 5/8 | 3/4 | 8/9 |
| Max Extension Cord Support | | Up to 300' of Min. 16 gage 3-wire extension cord. | Up to 300' of Min. 16 gage 3-wire extension cord. | Up to 300' of Min. 16 gage 3-wire extension cord. | Up to 300' of Min. 14 gage 3-wire extension cord. |
| Generator Requirements | | 3000W | 3000W | 3750W | 4000W |
| Gun/Hose/Tip Included | | Contractor FTx II Airless Gun | Contractor II Airless Gun | Contractor II Airless Gun | Contractor II Airless Gun |
| | | 1/4" x 50' (6.4mm x 15.2m) Blue Max 3300psi (227 Bar) | 1/4" x 50' (6.4mm x 15.2m) Blue Max 3300psi (227 Bar) | 1/4" x 50' (6.4mm x 15.2m) Blue Max 3300psi (227 Bar) | 1/4" x 50' (6.4mm x 15.2m) Blue Max 3300psi (227 Bar) |
| | | RAC X 515 Tip and Guard | RAC X 517 Tip and Guard | RAC X 517 Tip and Guard | RAC X 517 Tip and Guard |
| Inlet Strainer | | 246385 | 246385 | 246385 | 246385 |
| Pump Filter | | Order Optional Filter Accessory - 249056 | Includes Easy-Out™ Pump Filter | Includes Easy-Out™ Pump Filter | Includes Easy-Out™ Pump Filter |
| Easy-Out Filter Screens | 30 Mesh | 246425 | 246425 | 246425 | 246425 |
| | 60 Mesh | 246384 | 246384 | 246384 | 246384 |
| | 100 Mesh | 246382 | 246382 | 246382 | 246382 |
| | 200 Mesh | 246383 | 246383 | 246383 | 246383 |
| Sprayer Dimensions | Stand | 16"x14"x17" | 16"x14"x19" | 16"x14"x19" | NA |
| | Hi | NA | 21"x20.5"x29.5" | 21"x20.5"x29.5" | 21"x20.5"x29.5" |
| | Lo | NA | 26"x20.5"x21" | 26"x20.5"x21" | 26"x20.5"x21" |
| Wear Parts | | | | | |
| Packing Kit | | 244194 | 244194 | 244194 | 244194 |
| Rod | | 249125 | 249125 | 249125 | 249125 |
| Cylinder | | 243176 | 243176 | 243176 | 243176 |
| Complete Pump Lower | | 249127 | 246428 | 246428 | 246428 |
| Manuals | | | | | |
| Operation | | 310820 | 309665 | 309665 | 309665 |
| Repair | | 310824 | 309674 | 309674 | 309674 |
| Pump | | 309250 | 309250 | 309250 | 309250 |
| Gun | | 309639 | 309639 | 309639 | 309639 |
| Parts List | | 310876 | 309675 | 309675 | 309675 |

Ultra®

The Best Selling Electric Units from
the Worldwide Leader in Airless Sprayers!

Graco delivers the best selling electric units and is still the worldwide leader in airless sprayers! Choose from our complete line of electric sprayers including the new 390.



"On my jobs I don't have time for mistakes. I buy Graco because I need to get the job done right the first time."



- John Mann -

J.P.Mann Commercial Painting Inc.
Millersville, PA

Accessories To Make The Job Easier

In the painting business you get what you pay for, and nothing adds more value to your sprayer than the right accessories. Graco's strength and reliability carries through to our full-range of performance enhancing accessories. From premium tips and guards to a wide-variety of guns and hoses, Graco gives you the tools you demand to make your business a success.

ACCESSORIES



- 287098 **Digital Display**
A simple-to-use and easy-to-install spray pressure display featuring the WatchDog Pump Protection System™. (fits Ultra 395/495/595 models only)
- 246388 **Hopper Accessory**
1 1/2 gallon (5.7 liter) capacity, lid included, attaches to pump without tools, ideal for spraying small amounts of material, portable with unit, smooth inside cleans up quickly. (fits 390, Ultra 395/495/595 models only)
- 246385 **390, Ultra 395/495/595 Pump Inlet Strainer**

FILTERS

- 249056 **390 Filter Accessory Kit**
Includes: filter, housing, cap, filter (60 m) and mounting bracket
- 246425 **Ultra 395/495/595 Easy-Out Manifold Filter 30 mesh**
- 246384 **Ultra 395/494/595 Easy-Out Manifold Filter 60 mesh**
- 246382 **Ultra 395/495/595 Easy-Out Manifold Filter 100 mesh**
- 246383 **Ultra 395/495/595 Easy-Out Manifold Filter 200 mesh**

GUNS

- 246220 **Contractor II Gun (2-finger) with RAC X Latex 517 System**
- 246221 **Contractor II Gun (4-finger) with RAC X Latex 517 System**
- 246231 **Contractor FTx II Gun (2-finger) with RAC X Latex 515 System**
- 246230 **Contractor FTx II Gun (4-finger) with RAC X Latex 515 System**
- 246240 **Silver Plus™ Gun with RAC X Latex 517 System**
- 246468 **Flex Plus™ Gun with RAC X Latex 517 System**



GUN HOSE KITS



- Including the following unless otherwise noted: Airless Gun, RAC X Latex 517 System, 1/4 in x 50 ft (6.4 mm x 15.2 m) 3300 psi (227 bar) Blue Max™ Airless Hose and 3 ft (0.9 m) Whip Hose.
- 287036 **Contractor II Gun Hose Kit**
 - 287037 **Contractor II Gun Hose Kit — 3/8 in x 50 ft (9.5 mm x 15.2 m) Airless Hose**
 - 287040 **Contractor FTx II Gun Hose Kit — 515 Tip**
 - 287095 **Flex Plus Gun Hose Kit**
 - 287041 **Silver Plus Gun Hose Kit**
 - 287042 **Silver Plus Gun Hose Kit — 3/8 in x 50 ft (9.5 mm x 15.2 m) Airless Hose**
 - 287043 **Silver Plus Gun Hose Kit — 3/8 in x 50 ft (9.5 mm x 15.2 m) Airless Hose 3600 psi (248 bar)**

AIRLESS HOSE

- 238358 **3 ft x 3/16 in, Blue Max 3300 psi Whip Hose (1/4" m x 1/4" f Fittings)**
- 240793 **1/4 in x 25 ft Blue Max 3300 psi Hose (1/4" FBE)**
- 240794 **1/4 in x 50 ft Blue Max 3300 psi Hose (1/4" FBE)**

Ask your local authorized Graco distributor for details on Graco's complete line of airless accessories.



RAC X™ System!

Exceptional Life, Pattern, and Finish.

For General Purpose Spraying
 of Water and Solvent-Based Coatings.

RAC X Latex Series Tips

LTX-XXX Blue (Odd #)


- Longest Life Fan on the Market.
- Optimized for Interior and Exterior Latex Paints.



RAC X WideRac™ Series Tips

WR-XXXX Blue (Odd #)

- 24 in (61 cm) Spray Fans.
- For Interior and Exterior Latex Paints and Primers.
- Complete Jobs in Half the Time.
- For High Production on Large Open Spray Jobs.



RAC X Fine Finish Series Tips

FFT-XXX Green (Even #)

- Pre-Orifice Design for Optimal Finish Quality.
- Spray at Lower Pressures than Standard Tips and FF5's.
- Superior Atomization.
- For the Highest Quality on Fine Finish.



Note: Use RAC X tips only with RAC X guards.
 Not interchangeable with RAC 5 tips and guards.

RAC X Guards

246215 for 7/8 in (22 mm) thread size
 246437 for 11/16 in (17 mm) thread size

- Simple, No-Hassle HandTite™ Seal.
- Quickly Change from Vertical to Horizontal Spray Pattern Without Loosening the Nut.
- Fits All RAC X Tips.



Reliability On Demand

Graco understands — when your sprayer goes down so does your job. That's why we create programs and products to support you.



Endurance Advantage Program

Purchase a Graco 390, Ultra 395, 495, or 595 and you can purchase an Endurance Pump for **up to 85% off** of list price. Keep a spare pump on hand to save yourself time and money on every job. If you'd rather repack your own pump, we'll let you choose a free Repair Kit instead. With reliability you can count on, Graco ensures you'll always be up and spraying! Follow the registration instructions included with your sprayer.

WARRANTY

Lifetime Motor Warranty

If the Motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

Lifetime Drive Warranty

If the Drive Train fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

3-Year Warranty

Coverage against defects in materials and workmanship on the entire sprayer.

30-Day "Just Add Paint" Replacement Guarantee

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an extra cost.

Downtime Eliminator Program

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CST.



"My Graco sprayer makes my jobs easier. From large to small jobs Graco has the quality and performance to deliver professional results. I always heard Graco products were best, and now that I own them - I agree!"

- Randy Dudley -
 Randy's Painting LLC,
 Orange Crossroads, AL