

PFM 300 Superinox

It is the new horizontal Flow Wrap packaging machine, which produces packages with three seals using heat-sealable packaging material.


Packaging - Processing

Bid on Equipment

1-847-683-7720

www.bid-on-equipment.com

- **Compact**
- **Super hygienic**
- **Highly protected against infiltrations**
- **"Cantilevered" type construction**




Main standard features:

- **Compact design**, construction in AISI 304 stainless steel with radial angles.
- **"Cantilevered" type construction**: the mechanical and electronic components are on the back of the machine leaving the front free for easy cleaning and access.
- **3 tiltable wheel** units in AISI 304 stainless steel and protected by a special guard with front opening.
- **"Cantilevered" style transverse sealing unit**, frame in AISI 304 stainless steel, 1- 2 crimpers per shaft based on different needs. Separate temperature control.
- **2 mt. long infeed conveyor** with interchangeable easy to clean pushers.



Designed to work in the harshest environments, careful attention is paid to every detail to ensure high quality packaging. >



Detail of control panel

STANDARD TECHNICAL TABLE OF BASIC MACHINES

	PFM 300	Shamal	Tornado	Mistral	Scirocco	Ghibli	BG 2800
Product length mm	min 40 max 250	min 130 max LVA	min 100 max 500	min 100 max 340	/	min 100 max LVA	min 70 max 320
Product width mm	5 to 220	5 to 300	100 to 240	100 to 300	/	5 to 320	45 to 180
Product height mm	up to 100	up to 180	up to 100	up to 110	/	up to 260	up to 80
Cutting pitch mm	/	/	/	/	/	/	min 105 max 355
Reel width mm	max 500	max 700	max 700	max 700	max 400	max 900	max 440
Reel diameter mm	350	350	350	350	350	350	350
Packaging material	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier
Output cycles/min	120	60	100	140	/	60	/
Sealing system	rotative	LD-EPS	Long Dwell 1-2-3-4	Long Dwell 1-2-3-4	Long Dwell 1-2-3-4 o Pocket Bag	Box Motion Servo	Multi- crimper Super Long Dwell min 4 max 22
Construction	Cantilevered +AISI 304	Cantilevered +AISI 304	Cantilevered +AISI 304	Cantilevered +AISI 304	Cantilevered +AISI 304	Cantilevered +AISI 304	/
Available versions	Mechanical Electronic	Mechanical Servo LVA	Mechanical Electronic Servo BA-BB	Mechanical Electronic Servo BA-BB	Mechanical Electronic BB	Servo LVA BB	Servo BB
Weight Kg	500	600	950	1100	1100	1100	/
Power supply	380	380	380	380	380	380	/
Electrical consumption kw/h	5,3	6,0	6,8	7	7	7	/

This brochure does not constitute a formal technical document of PFM. The technical specifications stated are merely indicative and may vary according to the type and dimensions of the product, output required and type of wrapping material used. Data should always be confirmed by PFM's technical department. The final technical specifications calculated according to the above mentioned variables are only given in a formal quotation. PFM reserves the right to make modifications without prior notice.



Packaging - Processing
Bid on Equipment
 1-847-683-7720
www.bid-on-equipment.com



Packaging Machinery

PFM S.p.A.
 PACKAGING MACHINERY
 SEDE CENTRALE ITALIA

Via Pasubio, 49
 36036 Torrelvicino (VI)
 ITALY
 Tel: (+39) 0445 .570.110
 Fax: (+39) 0445 .570.175

Internet: www.pfm.it
 E-mail: pfm@pfm.it




Packaging Machinery

PFM
 PACKAGING MACHINERY
 LTD GREAT BRITAIN

Unit 8/9, Intercity Way
 LEEDS LS13 - 4LY
 Tel: (+44) 113 .23.93.401
 Fax: (+44) 113 .23.93.402

E-mail: pfm@pfmltd.co.uk



Packaging Machinery

PFM
 PACKAGING MACHINERY
 CORP. USA & CANADA

1271, Ringwell Ave.
 Newmarket
 Ont. Canada L3Y 7V1.
 Tel: (+1) 905 .836 .6709
 Fax: (+1) 905 .836 .7763

Internet: www.pfmusa.com
 E-mail: info@pfmusa.com



BG PACK S.p.A.
 PFM PACKAGING GROUP

via C. A. Dalla Chiesa, 13
 24048 Treviolo (BG) ITALY
 Tel: (+39) 035 .20.31.22
 Fax: (+39) 035 .20.31.25

E-mail: bgpack@bgpack.it



MBP s.r.l.
 PACKAGING AUTOMATION
 PFM PACKAGING GROUP

via Toscanini, 48/B
 Castiglione delle Stiviere
 (MN) ITALY
 Tel: 0376. 638.479
 Fax: 0376. 670.727

Internet: www.mbp.it
 E-mail: info@mbp.it