

PFM Ghibli >>>>


It is a Flow Wrap machine of the new generation, which produces packs with three seals starting from a reel of heat-sealable packaging material. Suitable for packaging products with large dimensions and also for M.A.P. or subsequent vacuum station.

Maxi Size Pack: especially designed for packaging cheese with large dimensions using very thick packaging material. Sealing crimpers up to 500 mm and film width up to 1200 mm.

Box Motion Servo "cantilevered" type sealing system: separate motors controlling carriage motion and closing of crimpers. Free setting of time, speed and motion of the movable carriage according to the type of product, film and output required. Electronic adjustment of sealing pressure according to the type and thickness of the film.



Total Hygiene and access from every side: fully "cantilevered" type structure made of AISI 304 stainless steel including the Box Motion without support and therefore more accessible. Completely washable C.S.C. loading belt. Mechanical and electronic components mounted at the back of the packaging machine. Only the sealing and product feeding units are mounted on the front side of the machine. Easy access to every part of the machine. Electronic centering of conveyor belts which can be replaced from the front of the machine.

LVA or Print Registered: electronic User Friendly printing system with LVA option (real time length variation according to bag length) or with print registered film.





Packaging Machinery



Packaging - Processing

Bid on Equipment

1-847-683-7720

www.bid-on-equipment.com

STANDARD TECHNICAL TABLE OF BASIC MACHINES

	PFM 300	Shamal	Tornado	Mistral	Scirocco	Ghibli	BG 2800
Product length mm	min 40 max 250	min 130 max LVA	min 100 max 500	min 100 max 340	/	min 100 max LVA	min 70 max 320
Product width mm	5 to 220	5 to 300	100 to 240	100 to 300	/	5 to 320	45 to 180
Product height mm	up to 100	up to 180	up to 100	up to 110	/	up to 260	up to 80
Cutting pitch mm	/	/	/	/	/	/	min 105 max 355
Reel width mm	max 500	max 700	max 700	max 700	max 400	max 900	max 440
Reel diameter mm	350	350	350	350	350	350	350
Packaging material	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier	BOPP laminated or bonded also with gas barrier
Output cycles/min	120	60	100	140	/	60	/
Sealing system	rotative	LD-EPS	Long Dwell 1-2-3-4	Long Dwell 1-2-3-4	Long Dwell 1-2-3-4 o Pocket Bag	Box Motion Servo	Multi- crimper Super Long Dwell min 4 max 22
Construction	Cantilevered +AISI 304	Cantilevered +AISI 304	Cantilevered +AISI 304	Cantilevered +AISI 304	Cantilevered +AISI 304	Cantilevered +AISI 304	/
Available versions	Mechanical Electronic	Mechanical Servo LVA	Mechanical Electronic Servo BA-BB	Mechanical Electronic Servo BA-BB	Mechanical Electronic BB	Servo LVA BB	Servo BB
Weight Kg	500	600	950	1100	1100	1100	/
Power supply	380	380	380	380	380	380	/
Electrical consumption kw/h	5,3	6,0	6,8	7	7	7	/

This brochure does not constitute a formal technical document of PFM. The technical specifications stated are merely indicative and may vary according to the type and dimensions of the product, output required and type of wrapping material used. Data should always be confirmed by PFM's technical department. The final technical specifications calculated according to the above mentioned variables are only given in a formal quotation. PFM reserves the right to make modifications without prior notice.



Packaging - Processing
Bid on Equipment
 1-847-683-7720
www.bid-on-equipment.com



Packaging Machinery

PFM S.p.A.
 PACKAGING MACHINERY
 SEDE CENTRALE ITALIA

Via Pasubio, 49
 36036 Torrelvicino (VI)
 ITALY
 Tel: (+39) 0445 .570.110
 Fax: (+39) 0445 .570.175

Internet: www.pfm.it
 E-mail: pfm@pfm.it




Packaging Machinery

PFM
 PACKAGING MACHINERY
 LTD GREAT BRITAIN

Unit 8/9, Intercity Way
 LEEDS LS13 - 4LY
 Tel: (+44) 113 .23.93.401
 Fax: (+44) 113 .23.93.402

E-mail: pfm@pfmltd.co.uk



Packaging Machinery

PFM
 PACKAGING MACHINERY
 CORP. USA & CANADA

1271, Ringwell Ave.
 Newmarket
 Ont. Canada L3Y 7V1.
 Tel: (+1) 905 .836 .6709
 Fax: (+1) 905 .836 .7763

Internet: www.pfmusa.com
 E-mail: info@pfmusa.com



BG PACK S.p.A.
 PFM PACKAGING GROUP

via C. A. Dalla Chiesa, 13
 24048 Treviolo (BG) ITALY
 Tel: (+39) 035 .20.31.22
 Fax: (+39) 035 .20.31.25

E-mail: bgpack@bgpack.it



MBP s.r.l.
 PACKAGING AUTOMATION
 PFM PACKAGING GROUP

via Toscanini, 48/B
 Castiglione delle Stiviere
 (MN) ITALY
 Tel: 0376. 638.479
 Fax: 0376. 670.727

Internet: www.mbp.it
 E-mail: info@mbp.it