

Packaging - Processing

Bid on Equipment

1-847-683-7720

www.bid-on-equipment.com

ROTARY LABELING



QUADREL
LABELING SYSTEMS

THE ULTIMATE IN PRODUCT HANDLING

Quadrel's rotary labeling system combines world-class product handling, designed for multi-shift reliability in the harshest environments, with technically advanced label applicators and controls. This fusion of technologies creates a product decoration system unsurpassed in accuracy, reliability and performance.



STANDARD:

- High-speed, push/pull servo driven labeler
- Low label, broken web and end-of-web detection
- Corrosion resistant stainless steel construction
- Anti-vibration machine frame
- Mechanically integrated or pull through conveyor
- Infeed and outfeed bank control
- Jam protection with auto shut down (feed screw, star wheels and carousel)
- Heavy-duty label impressers for clear labels
- Remote jog for simple set-up and changeovers
- Platform motion by double-profile cam in oil bath
- Full guarding with safety interlock

CONTROLS:

- Choice of PLC (Allen Bradley, Siemens or Mitsubishi)
- System status display, uptime monitors, etc.
- System speed and product output display
- Full on-board diagnostics
- Product and label counters
- Memory for up to 50 label presets
- All controls are environmentally sealed



QUADREL
LABELING SYSTEMS


COMMON OPTIONS:

- Color touch screen operator interface
- Full validation package for pharmaceutical applications
- Remote, dual-powered unwinds for uninterrupted label supply
- Motorized carousel height adjustments
- Servo controlled platform motion
- Air-inflation for soft-sided bottles
- Up to six labeling stations
- Zero-downtime with automatic crossover
- Vision systems
- Anti-static devices
- Missing label on product with ejection
- Label imprinting (all technologies)
- Consult factory for full list of options


Packaging - Processing
Bid on Equipment
1-847-683-7720
www.bid-on-equipment.com




12T Front/Back/Wrap




9T Custom Front/Back



Compact 504



Custom Rotary



Push/Pull Servo Labeler
(Top View)



30T Front/Back/Neck

LABELS & PACKAGING



COMMON BASE SIZES

Turret (mm dia)	Platforms (T)	Product Pitch	PPM*
504mm	9	6.8"	200
816mm	12	8.3"	280
864mm	18	5.8"	360
960mm	20	6"	440
960mm	30	3.9"	600

*Actual Product Per Minute (PPM) dependent upon label and product



QUADREL
LABELING SYSTEMS

7670 Jenther Drive Mentor, Ohio 44060
Phone: 440.602.4700 Fax: 440.602.4701
Toll Free: 800.321.8509
email: labeling@quadrel.com
www.quadrel.com

Packaging - Processing
Bid on Equipment
1-847-683-7720
www.bid-on-equipment.com