


The Intelligent Solution for Automated Package Void Reduction



NEW!

These images illustrate the process outside of the *Tray Forming Module* and the *Height Adjustment and Lidding Module*.



Products placed in the tray.



Void measurement and height adjustment automatically starts.



Height adjustment automatically finishes.



Lid automatically sealed in place.

I-Pack® Packaging System

Create More Compact Packages By Removing the Unused Void

Ideal for Fulfilment Applications

The I-Pack® System is ideal for books, CDs/DVDs, and a variety of other items. It is designed for fulfilment operations where the goal is to minimize costs - shipping, consumables, and operating - while optimizing productivity.

One I-Pack® System can support multiple pick stations while reducing the overall number of packers.

The I-Pack® System can be integrated with all ERP/WMS system software and any warehouse equipment (conveyors, printers, scales, sorters, etc.). The system can also operate in stand-alone mode.

Enhanced Image

Good Environmental Profile

The 100% corrugated package is “curb-side” recyclable.

Impressive Package

The finished appearance of the package enhances brand image.

Easy to Open

The built-in tear strip makes opening an easy pull.

Cost Savings

Savings on Shipping

- Smaller overall volume reduces air-freight and last mile costs.

Savings on Operations

- Tray forming, height adjustment, and lidding process is automated and high throughput.
- Picking is more productive in trays than in RSCs.

Savings on Materials

- The need for additional packaging material is reduced.
- I-Pack® materials can be sourced from local suppliers.


Savings on Reduced Return Ratio

- The I-Pack® fold increases box strength adding product protection.
- The glued pack is securely sealed and tamper-evident.
- The protection is consistent and efficient regardless of the production speed, whatever the box filling rate or product mix.




I-Pack® Process

(Shown outside of the Tray Forming and the Height Adjustment and Lidding Modules)



I-Pack® Packaging System

Create More Compact Packages By Removing the Unused Void



Reliability

The I-Pack® system is safe, reliable, and designed in accordance with CE European Directives.

The I-Pack® system is compliant for North America and is tested and certified for compliance by a National Recognized Testing Laboratory (NRTL).



Specifications / Requirements

	Throughput	Dimensions (LxWxH)	Weight	Electrical Req.	Air Req.
Tray Forming Module	18-24 trays / min	7'-3" x 4'-11" x 7'-2"	3,000 lbs.	230 or 460 VAC ~ 3 Phase 10 Amp 50/60 Hz	87 psi 4 cfm
Height Adjust. and Lidding Module	15 packs / min	23'-7" x 11'-6" x 8'-2"	3,000 lbs.	230 or 460 VAC ~ 3 Phase 15 Amp 50/60 Hz	87 psi 29



Automated Packaging
7110 Santa Fe Drive
Hodgkins, IL 60525
800-634-1226 Fax: 708-352-8721
www.sealedairautomation.com

Our Products Protect Your Products®

Packaging - Processing
Bid on Equipment
1-847-683-7720
www.bid-on-equipment.com

Corporate Office: Sealed Air Corporation (US)
200 Riverfront Boulevard, Elmwood Park, NJ 07407 www.sealedair.com
© Reg. U.S. Pat. & TM Off. © Sealed Air Corporation (US) 2008. All rights reserved. Printed in the U.S.A.
The "9 Dot Logo" and "Sealed Air" are registered trademarks of Sealed Air Corporation (US).

Manufactured and Patented by **B+Equipment**