



**JOHNSON PUMP**  
AN SPX BRAND


# CombiWell

Sump pump for paint spraying cabins  
and solvent degreaser units



# The best solution to do it well.

*The CombiWell is a range of specialised immersion pumps, used in water curtain paint spray booths and solvents degreasing spray units.*



## Typical characteristics

- No shaft sealing
- Liquid lubricated slide bearing
- Compact and modular design
- High degree of interchangeability between parts of different pump sizes




Photo courtesy: Glasbeek finish b.v.

- Water curtain paint spray booths
- Solvents degreasing spray units

# Features and *benefits*

## Lantern piece

- cast iron
- reducing flanges applied at motor side
- *rigid construction*
- *fits a wide range of electric motors*

## Ball bearing

- located in lantern piece
- grease lubricated
- *easily replaceable*
- *low maintenance costs*

## Pump casing

- permanently submerged into the liquid
- stainless steel for street cleaning version
- cast iron for paint spray version
- *always ready for action*
- *corrosion resistant*
- *cost effective materials*

## Slide bearing

- located in pump cover
- shaft sleeve on shaft
- different type of bearing materials
- *lubricated by the liquid*
- *low maintenance costs*

## Impeller

- stainless steel for street cleaning version
- cast iron for paint spray version
- fitted with extra large clearance between impeller and pump casing
- *corrosion resistant*
- *cost effective materials*
- *easily replaceable*

