

Urschel® Model CCX-D

NEW Versatile Shredder/Slicer/Strip Cutter

Packaging - Processing
Bid on Equipment

1-847-683-7720

www.bid-on-equipment.com



SPECIFICATIONS

Length: 58.59" (1488 mm)
Width: 32.95" (837 mm)
Height: 30.90" (785 mm)
Net Weight: 1,000 lb (454 kg)
Motor:5 or 10 HP (3.7 or 7.5 kW)

The Model CCX-D is accepted by the United States Department of Agriculture, Dairy Division.

APPLICATIONS


The Model CCX-D uniformly produces several different types of shreds including Oval Shreds, Full Shreds, "V" Shreds, and Crescent Shreds. The versatile machine features interchangeable quick locking double ring, single adjustment cutting heads that enable the processor to change the type of shred in just minutes. Specially designed throw-away knives do not require sharpening, and are inexpensive to replace.

To promote sanitation, the machine features an attached swing-away feed hopper, hinged access panels, sloped surfaces, and highly-polished stainless steel.

A wide variety of products can be processed on the Model CCX-D including cheese, carrots, potatoes, and a wide variety of other vegetables and fruits. The machine features continuous operation for uninterrupted production, and simplified design for easy cleanup and maintenance. The Model CCX-D accepts products measuring up to 3-1/2" (89 mm) in any dimension.


OPERATING PRINCIPLE

Product enters the rotating impeller and is held against the inner surface of the cutting head assembly by centrifugal force. The cutting head assembly consists of eight individual stationary cutting stations. Slices or shreds are produced as product passes each knife in a smooth and uninterrupted manner. Length is controlled by input product size.




TYPES OF CUTS

FLAT SLICE: .030 to .100"
(.8 to 2.54 mm)
thicknesses



.070" (1.8 mm) FULL SHRED


diamond-shaped cross section
measuring approximately
.070" (1.8 mm) on all sides.



"V" SHRED: "V"-shaped cross section

.097" (2.5 mm) FULL SHRED


diamond-shaped cross section
approximately .097" (2.5 mm)
on all sides.



"V" SHRED: "V"-shaped cross section

.125" (3.2 mm) FULL SHRED


diamond-shaped cross
section approximately
.125" (3.2 mm) on all sides.



"V" SHRED: "V"-shaped cross section


OVAL SHREDS

Approximately .125" (3.2mm)
thick by .250" (6.4 mm)
and oval-shaped
cross section.




CRESCENT SHRED

Crescent-shaped cross
section.




WIDE OVAL SHRED

Oval-shaped
cross section
approximately
.125" (3.2 mm) thick
by .375" (9.5 mm) wide.




WIDE CRESCENT SHRED

Wide crescent-shaped cross
section.



STRIP CUTS

Rectangular cross
section. Widths: 1/4 and 3/4"
(6.4 and 19 mm)




URSCHTEL
LABORATORIES INCORPORATED

2503 Calumet Avenue, P.O. Box 2200
Valparaiso, Indiana 46384-2200 U.S.A.
219/464-4811 Fax: 219/462-3879
<http://www.urschel.com>
E-mail: info@urschel.com

**Designers and manufacturers of
precision size reduction equipment.**

Urschel® Model CCX-D Dimensional Drawing

Packaging - Processing
Bid on Equipment
1-847-683-7720
www.bid-on-equipment.com



Model CCX-D with optional caster frame. Height dimension will vary depending on customer requirements. Contact your local Urschel representative for additional information.

Your Product Can Be Test Cut

Urschel Laboratories has a complete network of test facilities and experienced service and sales representatives around the world ready to work for you on any size reduction application. Contact your local Urschel Laboratories' representative to schedule a comprehensive, no-obligation test today at www.urschel.com



URSCHEL LABORATORIES INCORPORATED

2503 Calumet Avenue, P.O. Box 2200
 Valparaiso, Indiana 46384-2200 U.S.A.
 219/464-4811 Fax: 219/462-3879
<http://www.urschel.com>
 E-mail: info@urschel.com

**Designers and manufacturers of
precision size reduction equipment.**

©Urschel is a registered trademark of Urschel Laboratories, Inc.